



[Click here to return](#)

Tektronix

DA 4084 PROGRAMMABLE DISTORTION ANALYZER

**INPUT RANGE**

DECREASE RANGE INCREASE RANGE

600mV 2V  
20mV 20V  
2mV 60V  
200µV 200V

**AUTO RANGE**

LEVEL FUNCTION ONLY

**FUNCTION**

VOLTS

dBm 600Ω

dB RATIO

PUSH TO SET 0 dB REF

REAR INTFC INPUT

**FUNCTION**

LEVEL

THD + N

SINAD

**RESPONSE**

RMS

AVG

**FILTERS**

**AUTO RANGE**

20%

2%

0.2%

dB

**FILTERS**

(ON-OFF) 400Hz HI PASS

80kHz LO PASS

30kHz LO PASS

'A' WTG

EXT FILTER

**INPUT**

300Vpk MAX

300Vpk MAX

**INPUT MONITOR**

**FUNCTION OUTPUT**

**AUXILIARY INPUT**  
15Vpk MAX

**SERIAL NO.**  
E010255


Tektronix  
BEAVERTON, OREGON, U.S.A.

**POWER**

ON

OFF

Click here to return



TF46 PORTABLE  
**SUPER CRICKET**  
TRANSISTOR & FET TESTER  
IN CIRCUIT CRICKET TESTER & OUT OF CIRCUIT PARAMETER TESTER

SIGNAL TRAKS  
OUTPUT BAYS  
NORMAL FET  
ENHANCE FET

**N** **P**

GRY GRY RYG RYG  
GRY RYG RYG RYG

GAIN READ IN  
LEAKAGE READ IN  
TEST  
PUSH ON-OFF

MAC. NO. 280453

[Click here to return](#)



[Click here to return](#)