

currentdistillerparams has a total of 124 name entries.

/ASCII85EncodePages	/GrayImageFilter
/AllowPSXObject	/GrayImageMinDownsampleDepth
/AllowRelativePathOps	/GrayImageMinResolution
/AllowTransparency	/GrayImageMinResolutionPolicy
/AlwaysEmbed	/GrayImageResolution
/AntiAliasColorImages	/ImageMemory
/AntiAliasGrayImages	/InternalDisablePathOptimizer
/AntiAliasMonolImages	/InternalDropAllImageData
/AutoFilterColorImages	/InternalForceUserUnit
/AutoFilterGrayImages	/InternalOffOptimizations
/AutoPositionEPSFiles	/JPEG2000ColorACSImageDict
/AutoRotatePages	/JPEG2000ColorImageDict
/Binding	/JPEG2000GrayACSImageDict
/CalCMYKProfile	/JPEG2000GrayImageDict
/CalGrayProfile	/LockDistillerParams
/CalRGBProfile	/MaxSubsetPct
/CannotEmbedFontPolicy	/MonolImageDepth
/CheckCompliance	/MonolImageDict
/ColorACSImageDict	/MonolImageDownsampleThreshold
/ColorConversionStrategy	/MonolImageDownsampleType
/ColorImageAutoFilterStrategy	/MonolImageFilter
/ColorImageDepth	/MonolImageMinResolution
/ColorImageDict	/MonolImageMinResolutionPolicy
/ColorImageDownsampleThreshold	/MonolImageResolution
/ColorImageDownsampleType	/NeverEmbed
/ColorImageFilter	/OPM
/ColorImageMinDownsampleDepth	/OffOptimizations
/ColorImageMinResolution	/Optimize
/ColorImageMinResolutionPolicy	/PDFX1aCheck
/ColorImageResolution	/PDFX3Check
/ColorSettingsFile	/PDFXBleedBoxToTrimBoxOffset
/CompatibilityLevel	/PDFXCompliantPDFOnly
/CompressObjects	/PDFXNoTrimBoxError
/CompressPages	/PDFXOutputCondition
/ConvertImagesToIndexed	/PDFXOutputConditionIdentifier
/CoreDistVersion	/PDFXOutputIntentProfile
/CreateJDFFile	/PDFXRegistryName
/CreateJobTicket	/PDFXSetBleedBoxToMediaBox
/CropColorImages	/PDFXTrapped
/CropGrayImages	/PDFXTrimBoxToMediaBoxOffset
/CropMonolImages	/ParseDSCComments
/DSCReportingLevel	/ParseDSCCommentsForDocInfo
/DefaultRenderingIntent	/ParseICCProfilesInComments
/Description	/PassThroughJPEGImages
/DetectBlends	/PreserveCopyPage
/DetectCurves	/PreserveDICMYKValues
/DoThumbnails	/PreserveEPSInfo
/DownsampleColorImages	/PreserveFlatness
/DownsampleGrayImages	/PreserveHalftoneInfo
/DownsampleMonolImages	/PreserveOPIComments
/EmbedAllFonts	/PreserveOverprintSettings
/EmbedJobOptions	/PresumeRGBRepresentationIsLossless
/EmbedOpenType	/StartPage
/EmitDSCWarnings	/SubsetFonts
/EncodeColorImages	/SyntheticBoldness
/EncodeGrayImages	/TransferFunctionInfo
/EncodeMonolImages	/UCRandBGInfo
/EndPage	/UseFlateCompression
/GrayACSImageDict	/UsePrologue
/GrayImageAutoFilterStrategy	/sRGBProfile
/GrayImageDepth	
/GrayImageDict	
/GrayImageDownsampleThreshold	
/GrayImageDownsampleType	

errordict has a total of 29 name entries.

**/VMerror
/configurationerror
/dhandleerror
/dictfull
/dictstackoverflow
/dictstackunderflow
/execstackoverflow
/handleerror
/interrupt
/invalidaccess
/invalidexit
/invalidfileaccess
/invalidfont
/invalidrestore
/ioerror
/limitcheck
/nocurrentpoint
/rangecheck
/stackoverflow
/stackunderflow
/syntaxerror
/timeout
/typecheck
/undefined
/undefinedfilename
/undefinedresource
/undefinedresult
/unmatchedmark
/unregistered**

execdict has a total of 9 name entries.

**/banner
/binary
/checkquit
/copyright
/execdepth
/idleproc
/nestprompt
/quitflag
/stmtfile**

globaldict has a total of 16 name entries.

**/SPGKeys
/\$fbf
/allow_startjob
/cid_execresfile
/cid_getresfilename
/customcolorimage
/execresfile
/findcdevproc
/findcharstrings
/findcmykcustomcolor
/findpgfont
/getresfilename
/makeblendedfont
/separationimage
/setcustomcolor
/setseparationgray**

internaldict has a total of 113 name entries.

/ \$DiskPGFont	/ condsetstatdictmanfeed
/ \$compatopdict	/ currentaccess
/ \$pgdevicedict	/ defaultspotfunction
/ \$trace	/ defineresource
/ @aborted	/ disableinterrupt
/ @arrayforall	/ distillerdict
/ @definecidfont	/ distillrgstencoding
/ @definefont	/ eCCRun
/ @dictforall	/ enableinterrupt
/ @exec	/ engineclass
/ @exit	/ errordevice
/ @ifor	/ externalcommand
/ @loop	/ filterIntercept
/ @nullcsloperators	/ filterOriginal
/ @recordkey	/ findresource
/ @removecslcacheentry	/ fontresourcedir
/ @repeat	/ fontrun
/ @rfor	/ genericresourcedir
/ @run	/ genericresourceforall
/ @setcacheparams	/ genericresourcepathsep
/ @stopped	/ getcategorydata
/ @stringforall	/ getthresholdarray
/ @undefinefont	/ idiomRecogInit
/ CCRun	/ imageDistiller
/ CIDRun	/ imagemaskDistiller
/ CharMap	/ implicitresourceforall
/ CharMap316	/ innersetrealdevice
/ DistillerStartupFiles	/ objectprinterdict
/ FilterDict	/ paramsforall
/ FlxProc	/ pdfmarkInternalDict
/ FullRomanEncoding	/ pdfmarkInternalNamesArray
/ InvalidFont	/ printerclose
/ MacLWEncoding	/ protectpersistdict
/ MacRomanEncoding	/ reportflushingjob
/ MacRomanEncoding2	/ reportpageinfo
/ MacRomanExtEncoding	/ resetcontrols
/ MacRomanExtEncoding1_2	/ resourceforall
/ MacScreamerEncoding	/ resourcestatus
/ MacWinCommonEncoding	/ sampledfunction
/ Magic	/ setdistillerdscparsing
/ PDFDocEncoding	/ setdistillerparams
/ PDFDocEncoding1_2	/ setstdio
/ PreferredEncodingMap	/ setweightvector
/ RequestedFeatures	/ ssdict
/ ResourceDir	/ startdistillation
/ StemSnapLength	/ stdCDevProc
/ WinAnsiEncoding	/ superexec
/ WinAnsiEncoding1_2	/ undefineresource
/ WinAnsiExtEncoding	/ vmbuildtime
/ WinAnsiExtEncoding1_2	
/ 59778p	
/ _idiomRecogInternal	
/ _idiomRecogInternalG	
/ aborted	
/ arraycomp	
/ arraytoname	
/ bindifrighttype	
/ blahexec	
/ checkdistillerparams	
/ cleanupdistillation	
/ cleanupdistillerparams	
/ clearinterrupt	
/ colorimageDistiller	
/ compBuildChar	

pdfmarkInternalDict has a total of 50 name entries.

/ANN
/APPEND
/ARTICLE
/BDC
/BMC
/BP
/CLOSE
/DEBUG
/DEST
/DOCINFO
/DOCVIEW
/DP
/EMBED
/EMC
/EP
/JDE
/LNK
/MP
/Metadata
/NI
/NamespacePop
/NamespacePush
/OBJ
/OUT
/PAGE
/PAGELABEL
/PAGES
/PS
/PUT
/PUTINTERVAL
/SP
/SetTransparency
/StAttr
/StBDC
/StBMC
/StBookmarkRoot
/StClassMap
/StObj
/StPNE
/StPop
/StPopAll
/StPush
/StRetrieve
/StRoleMap
/StStore
/StUpdate
/_pdfmarkInternal_Max
/_pdfmarkInternal_Max_ArrayType
/_pdfmarkInternal_Max_DictType
/_pdfmarkInternal_Min

serverdictdict has a total of 20 name entries.

**/abortWaitTimeout
/clientjobend
/curdfittimeouts
/dexch
/duprealdevice
/enableNestedAbort
/exchdef
/execjob
/exitserver
/processerrors
/productjobflushing
/productjobstarting
/resetstdfiles
/server
/setrealdevice
/settimeouts
/stdin
/stdname
/stdout
/timeoutdict**

shareddict has a total of 16 name entries.

**/SPGKeys
/\$fbf
/allow_startjob
/cid_execresfile
/cid_getresfilename
/customcolorimage
/execresfile
/findcdevproc
/findcharstrings
/findcmykcustomcolor
/findpgfont
/getresfilename
/makeblendedfont
/separationimage
/setcustomcolor
/setseparationgray**

statusdict has a total of 85 name entries.

/#10envelopetray	/revision
/10x13envelopetray	/setdefaulttimeouts
/10x13tray	/setdostartpage
/10x14tray	/setdosysstart
/110x220envelopetray	/setduplexmode
/11x17tray	/setjobtimeout
/162x229envelopetray	/setmargins
/176x250envelopetray	/setpage
/3.875x7.5envelopetray	/setpagemargin
/3.875x8.875envelopetray	/setpageparams
/4.125x9.5envelopetray	/setpapertray
/4.125x9.5tray	/setprintrname
/8.5x13tray	/setresolution
/9x12envelopetray	/settumble
/9x12tray	/setuserdiskpercent
/a3tray	/statementtray
/a4tray	/tumble
/a5tray	/universallargetray
/a6tray	/universalsmalltray
/b4tray	/userdiskpercent
/b5tray	/waittimeout
/b6tray	
/buildtime	
/byteorder	
/c4envelopetray	
/c4tray	
/c5envelopetray	
/c5tray	
/checkpassword	
/com10envelopetray	
/com10tray	
/defaulttimeouts	
/diskonline	
/diskstatus	
/dlenvelopetray	
/dostartpage	
/dosysstart	
/duplexmode	
/env1tray	
/env2tray	
/env3tray	
/env4tray	
/executivetray	
/firstside	
/halflettertray	
/initializedisk	
/jobname	
/jobtimeout	
/ledgertray	
/legaltray	
/lettertray	
/manualfeed	
/margins	
/monarchtray	
/newsheet	
/pagecount	
/pagemargin	
/pageparams	
/postcardtray	
/printrname	
/processcolors	
/product	
/realformat	
/resolution	

systemdict has a total of 375 name entries.

/ M	/counttomark	/div
/	/cshow	/dtransform
/	/currentblackgeneration	/dup
/	/currentcacheparams	/echo
/	/currentcmykcolor	/eexec
/	/currentcolor	/end
/\$error	/currentcolorrendering	/eoclip
/.error	/currentcolorscreen	/eofill
/<<	/currentcolorspace	/eq
/=	/currentcolortransfer	/erasepage
/==	/currentdash	/errordict
/=print	/currentdevparams	/exch
/=string	/currentdict	/exec
/>>	/currentdistillerparams	/execdict
/@PJL	/currentfile	/execform
/FontDirectory	/currentflat	/execstack
/GlobalFontDirectory	/currentfont	/execuserobject
/ISOLatin1Encoding	/currentglobal	/executeonly
/Run	/currentgray	/executive
/SharedFontDirectory	/currentgstate	/exit
/StandardEncoding	/currenthalftone	/exp
/	/currenthalftonephase	/false
/	/currenthsbcolor	/file
/abs	/currentlinecap	/filenameforall
/add	/currentlinejoin	/fileposition
/aload	/currentlinewidth	/fill
/anchorsearch	/currentmatrix	/filter
/and	/currentmiterlimit	/findcolorrendering
/arc	/currentobjectformat	/findencoding
/arcn	/currentoverprint	/findfont
/arct	/currentoverprintmode	/findresource
/arcto	/currentpacking	/flattenpath
/array	/currentpagedevice	/floor
/ashow	/currentpoint	/flush
/astore	/currentrgbcolor	/flushfile
/atan	/currentscreen	/for
/awidthshow	/currentshared	/forall
/begin	/currentsmoothness	/gcheck
/bind	/currentstrokeadjust	/ge
/bitshift	/currentsystemparams	/get
/buildtime	/currenttransfer	/getinterval
/bytesavailable	/currentundercolorremoval	/globaldict
/cachestatus	/currentuserparams	/glyphshow
/ceiling	/curveto	/grestore
/charpath	/cvi	/grestoreall
/clear	/cvlit	/gsave
/cleardictstack	/cvn	/gstate
/cleartomark	/cvr	/gt
/clip	/cvrs	/handleerror
/clippath	/cvs	/identmatrix
/cliprestore	/cvx	/idiv
/clipsave	/def	/idtransform
/closefile	/defaultmatrix	/if
/closepath	/definefont	/ifelse
/colorimage	/defineresource	/image
/composefont	/defineuserobject	/imagemask
/concat	/deletefile	/index
/concatmatrix	/devdismount	/ineofill
/copy	/devforall	/infill
/copypage	/devformat	/initclip
/cos	/devmount	/initgraphics
/count	/devstatus	/initmatrix
/countdictstack	/dict	/instroke
/countexecstack	/dictstack	/internaldict

/inueofill	/revision	/shfill
/inufill	/rlineto	/show
/inustroke	/rmoveto	/showpage
/invertmatrix	/roll	/sin
/itransform	/rootfont	/sqrt
/known	/rotate	/srand
/kshow	/round	/stack
/languagelevel	/rrand	/start
/le	/run	/startjob
/length	/save	/status
/lineto	/scale	/statusdict
/ln	/scalefont	/stop
/load	/scheck	/stopped
/log	/search	/store
/loop	/selectfont	/string
/lt	/serialnumber	/stringwidth
/makefont	/setbbox	/stroke
/makepattern	/setblackgeneration	/strokepath
/mark	/setcachedevice	/sub
/matrix	/setcachedevice2	/systemdict
/maxlength	/setcachelimit	/token
/mod	/setcacheparams	/transform
/moveto	/setcharwidth	/translate
/mul	/setcmypcolor	/true
/ne	/setcolor	/truncate
/neg	/setcolorrendering	/type
/newpath	/setcolorscreen	/uappend
/noaccess	/setcolorspace	/ucache
/not	/setcolortransfer	/ucachestatus
/null	/setdash	/ueofill
/nulldevice	/setdevparams	/ufill
/or	/setdistillerparams	/undef
/packedarray	/setfileposition	/undefinefont
/pathbbox	/setflat	/undefineresource
/pathforall	/setfont	/undefineuserobject
/pdfmark	/setglobal	/upath
/pop	/setgray	/userdict
/print	/setgstate	/usertime
/printobject	/sethalftone	/ustroke
/product	/sethalftonephase	/ustrokepath
/prompt	/sethsbcolor	/version
/pstack	/setlinecap	/vmreclaim
/put	/setlinejoin	/vmstatus
/putinterval	/setlinewidth	/wcheck
/quit	/setmatrix	/where
/rand	/setmiterlimit	/widthshow
/rcheck	/setobjectformat	/write
/rcurveto	/setoverprint	/writehexstring
/read	/setoverprintmode	/writeobject
/readhexstring	/setpacking	/writestring
/readline	/setpagedevice	/xcheck
/readonly	/setpattern	/xor
/readstring	/setrgbcolor	/xshow
/realtime	/setscreen	/xyshow
/rectclip	/setshared	/yshow
/rectfill	/setsmoothness	
/rectstroke	/setstrokeadjust	
/renamefile	/setsystemparams	
/repeat	/settransfer	
/resetfile	/setucacheparams	
/resourceforall	/setundercolorremoval	
/resourcestatus	/setuserparams	
/restore	/setvmthreshold	
/reversepath	/shreddict	

userdict has a total of 115 name entries.

/#copies	/letter
/\$PGFKeys	/letterenvelope
/11x17	/lettersmall
/17x11	/lib_extensions
/3.875x7.5envelope	/lib_level2
/4.125x9.5envelope	/lowerpapersize
/=string	/maxposition
/A3	/mergestr
/A4	/monarch
/A5	/note
/AppendName	/placename
/B5	/placename2
/CDevProcDirectory	/posn
/CharStringsDirectory	/postcard
/EncodingDirectory	/quit
/Ledger	/rproc
/Legal	/serverdict
/Letter	/setgrid
/ND	/setwebtint
/PGFontDirectory	/showdicts
/PrependRoot	/showgrid
/RD	/snoopcurrentdistillerparams1
/RunFile	/snoopdistillerdict1
/ SimpleOC	/snooperrordict1
/a	/snoopexecdict1
/a3	/snoopglobaldict1
/a4	/snoopinternaldict1
/a4small	/snooppdfmarkInternalDict1
/a5	/snoopserverdict1
/a6	/snoopsharedict1
/b	/snoopstatusdict1
/b4	/snoopssystemdict1
/b5	/snoopuserdict1
/b6	/statement
/blocksize	/status
/bubsort2s	/tabloid
/c5	/thingridlines
/cid_PrependingRoot	/trips
/cid_extensions	/upperpapersize
/cid_runBootup	/vblocks
/comm10	/viewgrid
/curarray	/webtintmat
/curmat1	/xmar
/dist	/xpos
/dl	/xrpt
/done	/xtab
/env1	/ybot
/env2	/yinc
/env3	/ypos
/env4	/yrpt
/execpage	/ytop
/executivepage	
/fat5	
/fatter10	
/fatterborder	
/filenameforall	
/gonzofont	
/gridhigh	
/gridwide	
/halfletter	
/hblocks	
/ledger	
/legal	
/legalsmall	